

**BUILDING TRUST** 

# SikaTop® Armatec®-110 EpoCem®

# **DECLARATION OF PERFORMANCE**

# No. 23390005

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	23390005
2	INTENDED USE/S	EN 1504-7:2006 Corrosion protection product for repair and protection of concrete for use in buildings and civil engineering works
3	MANUFACTURER:	Sika Services AG Tüffenwies 16-22 8064 Zürich
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 2+
6a	HARMONISED STANDARD:	EN 1504-7:2006
-	Notified body/ies:	1139

33944053 2018.04, ver. 001 1029

### 7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	Harmonised Technical Specification
Pull out strength of coated steel in concrete (bond adhesion of coating to steel and alkali resistance)	NPD	
Diffusion resistance	NPD	
Corrosion protection and workability	Passes	
Durability	NPD	EN 1504-7:2006
Glass transition	NPD	
Shear adhesion	NPD	
Release of dangerous substances	NPD	

### 8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name : Tomasz Gutowski

Function: Corporate Standardization

and Approvals

At Warsaw on 10 April 2018

Name : Tatiana Ageyeva

Function: Standardization and Approvals

At Warsaw on 10 April 2018

End of information as required by Regulation (EU) No 305/2011

### RELATED DECLARATION OF PERFORMANCE

Product Name	Harmonised technical specification	DoP Number
SikaTop® Armatec®-110 EpoCem®	EN 1504-7:2006	0203020100100000011029





### **ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)**

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

#### **LEGAL NOTE**

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sikas recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.



Sika Services AG Tuffenwies 16-22 8048, Zurich Switzerland www.sika.com

Declaration of Performance SikaTop® Armatec®-110 EpoCem® 23390005 2018.04 , ver. 001 1029 Template for translation. Only for internal use

